

The promise of community-driven preprints in ecology and evolution

Authors: Daniel W.A. Noble¹, Zoe A. Xirocostas², Nicholas C. Wu³, April R. Martinig⁴, Rafaela A. Almeida⁵, Kevin R. Bairos-Novak⁶, Heikel Balti⁷, Michael G. Bertram^{8,9,10}, Louis Bliard¹¹, Jack A. Brand⁸, Ilha Byrne¹³, Ying-Chi Chan¹⁴, Dena J. Clink¹⁵, Quentin Corbel¹⁶, Ricardo A. Correia¹⁷, Jordann Crawford-Ash¹⁸, Antica Culina¹⁹, Elvira D’Bastiani²⁰, Gideon G. Deme^{21,22}, Melina de Souza Leite²³, Félicie Dhellemmes^{24,25}, Shreya Dimri²⁶, Szymek M. Drobnik^{4,27}, Alexander D. Elsy²⁸, Susan E. Everingham²⁹, Samuel J. L. Gascoigne³⁰, Matthew J. Grainger³¹, Gavin C. Hossack³², Knut Anders Hovstad³³, Ed R. Ivimey-Cook³⁴, Matt Lloyd Jones³⁵, Ineta Kačergytė³⁶, Georg Küstner³⁷, Dalton C. Leibold¹, Magdalena M. Mair³⁸, Jake Martin^{8,9,39}, Ayumi Mizuno^{4,40}, Iain R. Moodie⁴¹, David Moreau⁴², Rose E. O’Dea⁴³, James A. Orr⁴⁴, Matthieu Paquet⁴⁵, Rabindra Parajuli⁴⁶, Joel L. Pick⁴⁷, Patrice Pottier^{1,4}, Marija Purgar¹⁹, Pablo Recio¹, Dominique G. Roche⁴⁸, Raphaël Royauté⁴⁹, Saeed Shafiei Sabet⁵⁰, Julio M. G. Segovia²⁶, Inês Silva⁵¹, Alfredo Sánchez-Tójar²⁶, Bruno E. Soares⁵², Birgit Szabo⁵³, Elina Takola⁵⁴, Eli S.J. Thoré^{8,55}, Bishnu Timilsina⁵⁶, Natalie E. van Dis⁵⁷, Wilco C.E.P. Verberk⁵⁸, Stefan J.G. Vriend⁵⁹, Kristoffer H. Wild^{1,60}, Coralie Williams⁴, Yefeng Yang⁴, Shinichi Nakagawa^{4,61*}, Malgorzata Lagisz^{4,*}

Affiliations

¹Division of Ecology and Evolution, Research School of Biology, The Australian National University, Canberra, ACT 2600, Australia

² School of Life Sciences, Faculty of Science, University of Technology Sydney, NSW 2007, Australia

³Hawkesbury Institute for the Environment, Western Sydney University, Richmond, NSW 2753, Australia

⁴Evolution and Ecology Research Centre, School of Biological, Earth and Environmental Sciences, University of New South Wales, Sydney, NSW 2052, Australia

⁵Laboratory of Freshwater Ecology, Evolution and Conservation, KU Leuven, Belgium

⁶School of the Environment, The University of Queensland, Brisbane 4072, Australia

⁷ Chrono-environnement UMR 6249, CNRS, Université Bourgogne Franche-Comté, F-25000, Besançon, France

⁸Department of Wildlife, Fish, and Environmental Studies, Swedish University of Agricultural Sciences, Umeå 907 36, Sweden

⁹Department of Zoology, Stockholm University, Stockholm 114 18, Sweden

¹⁰School of Biological Sciences, Monash University, Melbourne 3800, Australia

¹¹ Department of Evolutionary Biology and Environmental Studies, University of Zurich, Switzerland

¹² Department of Wildlife, Fish, and Environmental Studies, Swedish University of Agricultural Sciences, Umeå, Sweden

¹³ School of the Environment, The University of Queensland, Brisbane 4072, Australia

¹⁴ Swiss Ornithological Institute, Sempach, Switzerland

¹⁵ K. Lisa Yang Center for Conservation Bioacoustics, Cornell Lab of Ornithology, Cornell University, Ithaca, NY, USA

¹⁶ Theoretical and Experimental Ecology Station (SETE), CNRS, France

¹⁷ Biodiversity Unit, University of Turku, 20014 Turku, Finland

¹⁸ Fenner School of Environment and Society, Australian National University, Canberra ACT

¹⁹ Ruđer Bošković Institute, Zagreb, Croatia

²⁰ Department of Ecology and Evolutionary Biology, University of California, Los Angeles

²¹ Department of Biology, Case Western Reserve University, Cleveland, OH 44106, USA

²² Department of Science Laboratory Technology, University of Jos, Jos, Nigeria

²³ Department of Ecology, University of São Paulo, Brazil

- 47 ²⁴ Cluster of Excellence “Science of Intelligence”, Technical University of Berlin, Berlin, Germany
48 ²⁵ Center for Adaptive Rationality, Max Planck Institute for Human Development, Berlin,
49 Germany
50 ²⁶ Department of Evolutionary Biology, Bielefeld University, Germany
51 ²⁷ Institute of Environmental Sciences, Jagiellonian University, Krakow, Poland
52 ²⁸ Department of Environmental Systems Science, ETH Zurich, Switzerland
53 ²⁹ Institute of Plant Sciences and Oeschger Centre for Climate Change Research, University of Bern
54 ³⁰ Department of Biology, University of Oxford, United Kingdom
55 ³¹ Norwegian Institute for Nature Research, Trondheim, Norway
56 ³² Port Perry, Ontario, Canada
57 ³³ Norwegian Biodiversity Information Centre, Trondheim, Norway
58 ³⁴ School of Biodiversity, One Health and Veterinary Medicine, University of Glasgow, UK
59 ³⁵ European Centre for the Environment and Human Health, University of Exeter Medical School, Penryn,
60 United Kingdom
61 ³⁶ Ecology department, Swedish University of Agricultural sciences, Sweden
62 ³⁷ Department of Animal Ecology and Tropical Biology, Biocenter, University of Würzburg, Würzburg,
63 Germany
64 ³⁸ Statistical Ecotoxicology, Bayreuth Center of Ecology and Environmental Research (BayCEER),
65 University of Bayreuth, Germany
66 ³⁹ School of Life and Environmental Sciences, Deakin University, Waurin Ponds, 3216, Australia
67 ⁴⁰ Department of Biology, Faculty of Science, Hokkaido University, Japan
68 ⁴¹ Department of Biology, Lund University, Sweden
69 ⁴² Centre for Brain Research, University of Auckland, New Zealand
70 ⁴³ School of Agriculture, Food and Ecosystem Sciences, University of Melbourne
71 ⁴⁴ Department of Biology, University of Oxford
72 ⁴⁵ Theoretical and Experimental Ecology Station (SETE), CNRS, France
73 ⁴⁶ Department of Geosciences, Florida Atlantic University, Boca Raton, FL, USA
74 ⁴⁷ Institute of Ecology and Evolution, University of Edinburgh, UK
75 ⁴⁸ Department of Biology, Carleton University, Canada
76 ⁴⁹ Université Paris-Saclay, INRAE, AgroParisTech, UMR EcoSys, Palaiseau, France
77 ⁵⁰ Fisheries Department, Faculty of Natural Resources, University of Guilan, Swomeh Sara, Iran
78 ⁵¹ Center for Advanced Systems Understanding (CASUS), Helmholtz-Zentrum Dresden-Rossendorf
79 (HZDR), Görlitz, Germany
80 ⁵² Institute of Environmental Change & Society, University of Regina
81 ⁵³ Division of Behavioural Ecology, University of Bern, Switzerland
82 ⁵⁴ Department of Computational Landscape Ecology, Helmholtz Center for Environmental Research - UFZ,
83 Leipzig, Germany
84 ⁵⁵ TRANSfarm - Science, Engineering, & Technology Group, KU Leuven, Lovenjoel 3360, Belgium
85 ⁵⁶ The Arctic University Museum of Norway, The Arctic University of Norway (UiT), Norway
86 ⁵⁷ Helsinki Institute of Life Sciences, Helsinki University, Finland
87 ⁵⁸ Department of Ecology, Radboud University Nijmegen, Nijmegen
88 ⁵⁹ Netherlands Institute of Ecology (NIOO-KNAW), Wageningen, Netherlands
89 ⁶⁰ School of BioSciences, The University of Melbourne, Victoria 3010, Australia.
90 ⁶¹ Department of Biological Sciences, University of Alberta, CW 405, Biological Sciences Building,
91 Edmonton, AB T6G 2E9, Canada

92
93 corresponding author, daniel.noble@anu.edu.au

94 * equal contribution

95 ⁵⁻⁶⁰, Authors listed in alphabetical order

96

98 Introduction

99 Publishing preprints – papers communicating non-peer-reviewed research findings – is now an entrenched
 100 practice across a multitude of scientific disciplines¹. Preprints in biology have had a slower uptake relative to
 101 other disciplines², but new discipline-specific preprint servers, such as *EcoEvoRxiv* (<https://ecoevorxiv.org>),
 102 provide a means by which ecologists and evolutionary biologists can disseminate research findings. Preprints
 103 attempt to break down barriers to scientific publishing by: 1) increasing the visibility of research and the
 104 speed at which research findings become available, which can lead to more citations^{e.g., 3,4}; 2) helping
 105 establish the precedence of research findings; 3) removing financial barriers to open access publication; and
 106 4) enabling feedback from the research community⁵⁻⁷. Ultimately, preprints can facilitate the rapid sharing of
 107 scientific knowledge that can have significant impacts on fundamental and applied knowledge globally⁸.

108 Preprint servers can empower researchers to make their research findings more accessible, open, and
 109 transparent but only if they are used as forums for spreading and discussing findings within a research
 110 community. However, significant barriers to the widespread adoption of preprints remain, ranging from a
 111 lack of clarity around preprint policies in journals⁹ to a stigma within the research community that preprints
 112 are of poor quality¹⁰ (but see¹¹). Nonetheless, we lack an understanding of the factors that influence preprint
 113 use in ecology and evolution. Such an understanding may help improve current initiatives (see below),
 114 inform future ones and allow us to work harder in further breaking down barriers to scientific publishing.

115 *EcoEvoRxiv* is one of the few community-driven preprint servers that has paved the way for new initiatives,
 116 by accepting multilingual preprints, registered reports, and non-traditional research reports. *EcoEvoRxiv* also
 117 promotes peer review and community discussion in the hopes of improving the quality of preprints and
 118 speeding up their peer-reviewed publication (e.g., Peer Community In – PCI¹²). Peer Community In allows
 119 for fast, constructive peer review around a preprint with peer reviews being transparent and published
 120 online¹².

121 Here, we explore the first preprints uploaded to *EcoEvoRxiv* to characterise preprint practices in ecology and
 122 evolution. We aim to understand: 1) in what countries authors who use *EcoEvoRxiv* are located; 2) the
 123 taxonomic diversity of study systems across preprints; 3) whether preprint server use depends on career stage
 124 and gender; 4) the extent to which authors make use of preprint servers for reports and community-driven
 125 peer review; 5) the extent to which data and code are shared in preprints; and 6) how many preprints remain
 126 unpublished, and for those that are published, how long it took for them to become published. In the process,
 127 we also provide a summary of what makes *EcoEvoRxiv* distinct from other preprint servers to help further
 128 clarify the benefits of using community-driven preprint servers to disseminate research findings.

129 Getting to know your *EcoEvoRxiv* preprint server

130 *EcoEvoRxiv* is run by the Society for Open, Reliable, and Transparent Ecology and Evolutionary Biology
 131 (SORTEE)¹³. Originally launched in 2018 on the Center for Open Science preprint platform, *EcoEvoRxiv* has
 132 become a popular preprint server for ecologists and evolutionary biologists. The server has since been
 133 adopted by the California Digital Library (CDL). Editors are ecologists and evolutionary biologists from
 134 across the globe who volunteer their time to screen papers and push new initiatives in the preprint space.
 135 *EcoEvoRxiv* allows authors to post both preprints and postprints (also known as author-accepted
 136 manuscripts). While preprints are versions of manuscripts posted by authors before peer-review, postprints
 137 are versions of peer-reviewed and accepted articles but without typesetting and formatting by a journal. The
 138 main reason for publishing postprints on a preprint server is to ensure published articles are openly accessible

139 to everyone without a paywall (i.e., green open access). Postprints can be published anytime, provided that
 140 journals allow it (which most do; see <https://www.sherpa.ac.uk/romeo/>).




Figure 1- Summary of articles posted to *EcoEvoRxiv*. A) Number of articles (preprints and postprints) published on *EcoEvoRxiv* between 2018 and 2023. *EcoEvoRxiv* was established in June 2018 before the launch in November 2018. Notable milestones include *EcoEvoRxiv* transitioning to the California Digital Library (CDL), the acceptance of preprints and postprints in Spanish and Portuguese, and the acceptance of the first IUCN Red List Ecosystem report; B) Geographic origin of the preprints and postprints uploaded

to *EcoEvoRxiv*, inferred from the country of affiliation of the submitting author; C) Taxa used/covered in the articles posted to *EcoEvoRxiv* (n = 1080 articles); D) Types of preprints accepted on *EcoEvoRxiv* (n = 620 articles). E) Academic age of authors posting to *EcoEvoRxiv* along with the gender of the submitting author. Values lower than zero are indicative of authors who uploaded preprints before their first scientific publication in a journal. Map base source: R Package "maps" v.3.4.2. Shapefile: Natural Earth <https://www.naturalearthdata.com/about/terms-of-use/>.

141 ***Overview of EcoEvoRxiv preprints (and postprints)***

142 To better understand preprint (and postprint) use on *EcoEvoRxiv*, we downloaded metadata on the articles
143 available on *EcoEvoRxiv* as of 2023-09-30 (see Supplement for more details on methods). We consider both
144 preprints and postprints as ‘articles’. After removing five duplicate titles – suggesting that a few authors
145 created multiple submissions for the same preprint rather than updating the existing submission – we had
146 data for a total of 1216 articles with ~55–60 preprints published approximately monthly in the last two years
147 (Figure 1A). *EcoEvoRxiv* hosts articles from authors based in 56 countries, with 90% of the articles coming
148 from just 17 countries. North America, Australia, and European countries upload the most preprints, with
149 many fewer coming from countries in Africa, Central America, and parts of Asia (Figure 1B). Articles
150 covered all major taxonomic groups, with the most common being vertebrates (47.2%), plants (21.9%), and
151 invertebrates (17.5%) (Figure 1C).

152 ***Diversifying article types on EcoEvoRxiv: overcoming the ‘grey literature’ problem***

153 Accepting a greater diversity of article types allows *EcoEvoRxiv* to help deal with the ‘grey literature’
154 problem, whereby data that are relevant for research syntheses are not published in typical peer-reviewed
155 journals^{14,15}. *EcoEvoRxiv* has made a concerted effort to diversify the types of articles accepted. This is
156 reflected by 5% of the articles on *EcoEvoRxiv* being books, book chapters, reports, and other research output
157 types, which are typically considered ‘grey literature’ in ecology and evolutionary biology. As a result,
158 articles on *EcoEvoRxiv* are more diverse than those on preprint servers which have more restrictive
159 submission policies. For example, *bioRxiv* only accepts research articles ([https://www.biorxiv.org/submit-a-](https://www.biorxiv.org/submit-a-manuscript)
160 [manuscript](https://www.biorxiv.org/submit-a-manuscript)).

161 Typical research articles are still the most common type of preprint on *EcoEvoRxiv* (48.4%), followed by
162 reviews and meta-analyses (26.6%) and opinion papers (9.5%) (Figure 1D). Currently, *EcoEvoRxiv* does not
163 host many reports, particularly from government or industry, but has formed fruitful partnerships with the
164 International Union for Conservation of Nature (IUCN). For example, IUCN Red-list Ecosystem Reports are
165 now posted to *EcoEvoRxiv* and our community has been able to work closely with the IUCN to ensure these
166 documents meet the IUCN requirements. We would encourage authors to consider posting books, book
167 chapters, and reports to ensure that they are openly accessible and more easily found. *EcoEvoRxiv* articles are
168 given a unique DOI and are indexed on Google Scholar.

169 ***Breaking down language barriers to scientific communication: improving diversity and*** 170 ***data representation globally***

171 A significant barrier to the communication of research findings is the fact that they are primarily
172 communicated in English^{16–18}. Research communication through a single language has major consequences
173 for the global distribution of knowledge, resulting in knowledge gaps across some of the most biodiverse and
174 threatened regions in the world^{19,20}. Such gaps also impact research syntheses and meta-analyses because
175 they create a distorted picture of our knowledge base that can affect future research, policy development and
176 decision-making^{20–23}.

177 *EcoEvoRxiv* is the only preprint server to date that breaks down language barriers to scientific
178 communication by accepting English, Spanish, Portuguese and French articles. *EcoEvoRxiv* plans to expand

179 to other languages as new non-English editors become available. Such initiatives are incredibly important if
180 we are to begin filling global voids of scientific knowledge. However, multilingual initiatives have been slow
181 to take off on *EcoEvoRxiv*, with only a few Spanish articles, and a single Portuguese article, posted since
182 starting to accept non-English articles in 2023. Part of the challenge in getting authors to submit non-English
183 articles is the lack of awareness of *EcoEvoRxiv* in non-English speaking countries, cultural differences in the
184 perception of preprints, and a strong reliance on traditional publishing models that typically mandate
185 publishing in English²⁴.

186 ***Generational and gender-based gaps in preprinting practices***

187 Research papers can take a while to be published (see below). However, Early and Mid-Career Researchers
188 (EMCRs) (~10 years post-PhD) are under pressure to publish rapidly to be competitive in job applications,
189 promotions, and obtaining grants to progress their careers^{7,25}. Preprints are one way EMCRs can achieve
190 faster dissemination and greater visibility⁴. As such, EMCRs may be expected to make use of preprints more
191 than colleagues at later career stages. We collected data on the ‘academic age’ of submitting authors by
192 looking at Google Scholar profiles of authors (when available) and recording their first year of publication in
193 a peer-reviewed journal. While this is a rough estimate of career stage, there was evidence that the number of
194 preprints posted decreases with later career stages (negative binomial glm: year slope = -0.1, SE: 0, $p <$
195 0.001, $n = 42$ years). Most preprints were submitted by authors who published their first paper in the last ~10
196 years (Figure 1E), with the median year since first publication being 2013 (mean = 2010.6; SD = 9.9, $n =$
197 1214). These patterns support the expectation that EMCRs may use preprints to make their work more visible
198 and disseminate their findings more quickly. However, we acknowledge that validating this conclusion does
199 require more rigorous experimental approaches.

200 Gender differences in preprint use and publication outcomes have also been observed in several research
201 fields, including ecology and evolutionary biology^{26,27}. Therefore, such discrepancies are expected to
202 manifest in preprint use on *EcoEvoRxiv*, but it is unclear to what extent. Understanding gender publishing
203 patterns is challenging with observational data such as ours because we cannot know the gender of authors
204 for certain, but we can use a data-driven approach to ascertain the probability that a particular name is of a
205 given gender (man or woman). To obtain a rough idea of an author’s gender, we used the R package *gender*
206 (v.0.6.0;²⁸) to predict the most likely gender of the submitting author of a preprint. We only used algorithm-
207 assigned names where the gender was identified with 95% certainty. For the remaining names, we performed
208 manual searches to determine gender based on the pronouns and photographs from professional and personal
209 websites. We acknowledge that our approach does not capture self-assigned and non-binary genders. As
210 such, our assumptions about an author’s gender identity may be incorrect. Our data on gender had only two
211 missing values—one where the first name of the submitting author was missing and the other one for a
212 collective submission. As expected, we found that women were less likely to publish on *EcoEvoRxiv*
213 compared to men (women: 37.8%), which may reflect the broader publishing disparities between male and
214 female scientists²⁶.

Following the journey of a preprint on *EcoEvoRxiv*: from submission to publication




Figure 2- Summary of the publication status of articles on *EcoEvoRxiv*. A) Time between uploading an preprint to *EcoEvoRxiv* and its publication as a peer-reviewed journal article. Articles that were published within 2 months (60 days) of being submitted are considered postprints and are not included in this figure. B) Access status of articles linked to *EcoEvoRxiv* preprints classified as “Open Access” or “Not Open Access”. “Unknown” status is for articles not explicitly identified as being open access or not on the Unpaywall platform. C) Sub-types of open access status of articles linked to *EcoEvoRxiv* preprints. For full details on the meaning of each category see <https://support.unpaywall.org/support/solutions/articles/44001777288-what-do-the-types-of-oa-status-green-gold-hybrid-and-bronze-mean->.

Science takes time, but publication could take longer

Increased competition in science has raised the bar with respect to the amount of data required for publication⁷. This requirement is a good outcome if it results in higher-impact research that better clarifies our understanding of the natural world, but it does come at a cost for the speed of research dissemination⁷. Preprints have been proposed as a way to disseminate research more quickly as it can take a long time before results are ultimately published^{6,7}. However, data on the time to publication is needed to quantify the real benefit of preprints in this context.

We estimated how long it takes to publish a research paper in ecology and evolution by recording the time between when an article was first posted on *EcoEvoRxiv*, and its final acceptance in a peer-reviewed journal. In total, 383 papers remained unpublished (31.5%, n = 1,216) at the time when these data were collected. Not all of these papers, however, are anticipated to be published in a peer-reviewed journal (e.g., reports). Nonetheless, the median time to publication for preprints was 237 days (8 months) (mean = 286.4; SD = 193.9 days) with the maximum time to publication being 1,549 days or 4.2 years (Figure 2A). Our results largely confirm the extended timeframes that most authors experience between writing their research papers and their publication.

Cautious ‘open’-mindedness of research in preprints

In addition to speeding up dissemination, preprints and postprints can also be a useful way to ensure that research remains open and accessible to the research community irrespective of the accessibility of the final peer-reviewed paper^{6,7}. We evaluated whether articles hosted at *EcoEvoRxiv*, and that were also published in a journal, were published open access. The open access status of each published article was obtained using the R package *roadoi* (v.0.7.2) to connect to the Unpaywall platform²⁹. Most of the published articles were

238 open access [80.5% ($n = 351$ out of 436 where the status was known); Figure 2A]; however, 19.5% ($n = 85$)
239 were published behind paywalls. For articles published in open access journals, the type of open access also
240 varied widely (e.g., Gold, Hybrid, Green OA etc., Figure 2B).

241 Data and code sharing are also key components of open science³⁰. In the spirit of ‘openness’, we expected
242 data and code sharing among preprints to be greater than in many papers published in research journals^{30,31}.
243 Despite this, we found that 54.1% ($n = 232$) of articles relying on data on *EcoEvoRxiv* did not share data, and
244 56.9% ($n = 246$) did not share code (counting only data-based articles, i.e., excluding reviews, commentaries
245 or theoretical works).

246 Authors may be reluctant to share data and code for preprints because of the perceived concern that others
247 may acquire and use their data and code before publication in a journal. Authors of 28.7% ($n = 123$) of
248 articles that did not share data at the preprint stage did ultimately share data when the article was published;
249 whereas authors of 35.2% ($n = 151$) never shared data. However, 36.1% ($n = 155$) shared data at both stages.
250 The same was true for code. Overall, 16.8% ($n = 72$) preprints had no open code at the preprint stage but did
251 at the published article stage and authors of 45.2% ($n = 194$) preprints did not share code at either stage.
252 However, 38% ($n = 163$) shared code at both stages. Relatively low code and data-sharing practices in our
253 sample is consistent with analyses of sharing practices for published articles (e.g.,³¹), even for journals with
254 strict public data archiving policies³⁰.

255 **Paving our future to open, transparent and community-driven science**

256 Our analysis has allowed us to better understand preprinting/postprinting practices in *EcoEvoRxiv*. Overall,
257 *EcoEvoRxiv* articles are diverse but with primary research articles on vertebrates comprising most of the
258 articles posted. North America, Europe and Australia use *EcoEvoRxiv* the most with very few non-English
259 language articles to date. Submitting authors who were earlier in their career and more often with ‘male-
260 associated names’ tended to use *EcoEvoRxiv* the most. Articles posted to *EcoEvoRxiv* tend to take up to 8
261 months to become published with many articles not being open access. Code and data sharing was also
262 relatively uncommon at the preprint stage. At the same time, we attempted to collect data on community
263 discussion around preprints no such data was found on preprint landing pages, likely reflecting inadequate
264 functionality and cross-linking with sources where such discussion is occurring. Based on the insights from
265 our analysis, we provide recommendations to authors and the scientific community on ways they can further
266 promote open and transparent research through preprints:

- 267 • First, share your data and code at the preprint stage. Sharing data and code early can help improve the
268 quality of research, establish precedence, and improve the transparency and computational
269 reproducibility of scientific findings²⁵. Reassuringly, sharing data and code is rarely associated with
270 the ‘scooping’ of research findings³². If authors are worried about data being used unintentionally,
271 clear information surrounding its reuse can be included in a license (see <https://choosealicense.com>).
272 Data can also be archived with an embargo on its reuse³³.
- 273 • Second, take advantage of peer-reviewing services such as Peer Community In (PCI). The time
274 between posting a preprint and publication is still quite long (~8 months). One possible explanation is
275 that preprints are not being sent to suitable journals or are struggling to get into, slowing down
276 constructive feedback that can improve the quality of a paper. Using PCI circumvents editorial
277 decisions without review, yet only 1.6% ($n = 10$) used PCI. Using such services will ensure that
278 authors receive faster feedback on a paper. Ninety-three journals currently accept PCI reviews and
279 recommendations when considering a paper for publication ([https://peercommunityin.org/pci-
280 friendly-journals/](https://peercommunityin.org/pci-friendly-journals/)).
- 281 • Third, seek out and contribute to constructive feedback on preprints⁶. While it is clear that preprints
282 help establish precedence and allow findings to be openly accessible, it still seems rare that
283 constructive discussions form around preprints in an open forum (e.g. bioRxiv³⁴). Unfortunately, the

284 *EcoEvoRxiv* website does not provide opportunities for discussion given the limitations of the web
285 server at this point in time. As such, we could not accurately assess how much discourse around a
286 given preprint occurs. Clearly, as a community, we need to provide better platforms that document
287 discussions around preprint findings. Such discussions help authors improve their work and
288 communicate their findings more effectively (when done constructively, of course). One way to
289 facilitate such discussions may be to use open preprint peer-review services such as *Peer Community*
290 *In* (PCI) or *PubPeer* (see also³⁵) to provide feedback on preprints.

- 291 • Finally, keep your preprints updated. While most preprints get seamlessly connected and merged with
292 their published version, some remain ‘disconnected’ as separate articles. Incorrect cross-linking by
293 indexing platforms (e.g., Google Scholar) can create confusion and lead to frustration among authors.
294 Thankfully, the reasons for unmatched preprints and publications are well-understood and easily
295 rectified. They often result from a mismatch between preprint and published metadata (e.g., titles and
296 author details). For example, nearly one-third of articles changed their title from preprint submission
297 to publication [32.3% ($n = 199$)]. We found that mismatched metadata almost always contributed to
298 preprints and published articles not being matched automatically in Google Scholar. We recommend
299 that authors update their preprints with the publication DOI when accepted to journals, especially if
300 their title has changed. This is very easy for authors to do on *EcoEvoRxiv* and ensures that the preprint
301 is correctly linked to the published article and citations are appropriately merged. Adding DOIs will
302 also create a link between the final preprint and the published paper so that, no matter the open access
303 status of the publication, the research findings will remain openly accessible, saving costs for authors
304 (i.e., by not having to pay open access fees) and improving the visibility and use of research.

305 Despite the early successes of the new initiatives taken by *EcoEvoRxiv*, as described above, much work
306 remains to be done to improve the understanding and use of pre- and postprints within our community. We
307 view this perspective piece as a small step towards achieving that goal. We hope that readers are more
308 familiar with the benefits of using community-driven preprint servers and the unique initiatives they can
309 pursue. Community-driven preprint servers can set their own agenda and are driven by the needs and desires
310 of the community. Supporting these initiatives should be a priority for all researchers. Volunteers at
311 *EcoEvoRxiv* are encouraged to remain open to new and innovative ways to improve publication and open
312 science practices. We believe that the future of preprints is bright, and community-driven initiatives, such as
313 *EcoEvoRxiv* will play a crucial role in the future of scientific publishing.

314 **Acknowledgements**

315 We would like to thank the California Digital Library (CDL) and the CDL team (particularly, Alainna
316 Wrigley, Justin Gonder, Lisa Schiff, Catherine Mitchell, Hardy Pottinger and Amanda Karby) for their
317 support in hosting and maintaining *EcoEvoRxiv* for the Society for Open, Reliable, and Transparent Ecology
318 and Evolutionary Biology (SORTEE). We would like to thank Gabriela Hidalgo and Daisy Larios for helping
319 connect us with the IUCN and facilitating discussions to make *EcoEvoRxiv* a place where IUCN reports can
320 be posted. Finally, we would also like to thank the endless number of SORTEE volunteers, and those
321 especially on the *EcoEvoRxiv* Committee, who have helped to make *EcoEvoRxiv* a success. This paper
322 emerged from a hackathon at the 2023 SORTEE conference, and we thank delegates who attended the
323 session but could not be part of this paper. DWAN would also like to thank the Australian Research Council
324 for a Future Fellowship (FT220100276). SN and ML are supported by the Australian Research Council
325 (ARC) Discovery Project Grants (DP210100812 and DP230101248).

326 **Data and Code Availability**

327 All data and code can be found on GitHub at: https://github.com/daniellnoble/ecevo_1000

328 **Conflict of Interest**

329 The authors would like to acknowledge competing interests on the perspectives presented in this paper given
330 that many (DWAN, SN, ML) are founding members of *EcoEvoRxiv* and/or are part of the *EcoEvoRxiv*
331 committee.

332 **References**

- 333 1. Ginsparg, P. ArXiv at 20. *Nature* **476**, 145–147 (2011).
- 334 2. Berg, J. M. *et al.* Preprints for the life sciences. *Science* **352**, 899–901 (2016).
- 335 3. Colavizza, G. *et al.* An analysis of the effects of sharing research data, code, and preprints on
336 citations. *arXiv preprint arXiv:2404.16171* (2024).
- 337 4. Fu, D. Y. & Hughey, J. J. Releasing a preprint is associated with more attention and citations for the
338 peer-reviewed article. *Elife* **8**, e52646 (2019).
- 339 5. Desjardins-Proulx, P., White, E. P., Adamson, J. J., Ram, K. & Gravel, T. P. D. The case for open
340 preprints in biology. *PLOS Biology* **11**, e1001563 (2013).
- 341 6. Bourne, P. E., Polka, J. K., Vale, R. D. & Kiley, R. Ten simple rules to consider regarding preprint
342 submission. *PLOS Computational Biology* **13**, e1005473 (2017).
- 343 7. Vale, R. D. Accelerating scientific publication in biology. *Proceedings of the National Academy of*
344 *Sciences* **112**, 13439–13446 (2015).
- 345 8. Ni, R. & Waltman, L. To preprint or not to preprint: A global researcher survey. *Journal of the*
346 *Association for Information Science and Technology* (2024).
- 347 9. Klebel, T. *et al.* Peer review and preprint policies are unclear at most major journals. *PLOS ONE* **15**,
348 e0239518 (2020).
- 349 10. Chiarelli, A., Johnson, R., Pinfield, S. & Richens, E. Preprints and scholarly communication: An
350 exploratory qualitative study of adoption, practices, drivers and barriers. *F1000 Research* **8**, 971,
351 <https://doi.org/10.12688/f1000research.19619.2> (2019).
- 352 11. Fraser, N., Mayr, P. & Peters, I. Motivations, concerns and selection biases when posting preprints: A
353 survey of bioRxiv authors. *PLOS ONE* **17**, e0274441 (2022).
- 354 12. Guillemaud, T., Facon, B. & Bourguet, D. Peer community in: A free process for the
355 recommendation of unpublished scientific papers based on peer review. *ELectronic PUBlishing* (2019).
- 356 13. O’Dea, R. E. *et al.* Towards open, reliable, and transparent ecology and evolutionary biology. *BMC*
357 *biology* **19**, 68 (2021).
- 358 14. Haddaway, N. R. & Bayliss, H. R. Shades of grey: Two forms of grey literature important for reviews
359 in conservation. *Biological Conservation* **191**, 827–829 (2015).
- 360 15. Haddaway, N. R. *et al.* Eight problems with literature reviews and how to fix them. *Nature Ecology*
361 *& Evolution* **4**, 1582–1589 (2020).
- 362 16. Amano, T., González-Varo, J. P. & Sutherland, W. J. Languages are still a major barrier to global
363 science. *PLOS Biology* **14**, e2000933 (2016).

- 364 17. Amano, T. & Sutherland, W. J. Four barriers to the global understanding of biodiversity conservation:
365 Wealth, language, geographical location and security. *Proceedings of the Royal Society B: Biological*
366 *Sciences* **280**, 20122649 (2013).
- 367 18. Amano, T., Rios Rojas, C., Boum II, Y., Calvo, M. & Misra, B. B. Ten tips for overcoming language
368 barriers in science. *Nature Human Behaviour* **5**, 1119–1122 (2021).
- 369 19. Amano, T. *et al.* The role of non-english-language science in informing national biodiversity
370 assessments. *Nature Sustainability* **6**, 845–854 (2023).
- 371 20. Zenni, R. D. *et al.* Multi-lingual literature searches are needed to unveil global knowledge. *Journal of*
372 *Applied Ecology* (2023).
- 373 21. Hannah, K., Haddaway, N. R., Fuller, R. A. & Amano, T. Language inclusion in ecological
374 systematic reviews and maps: Barriers and perspectives. *Research Synthesis Methods* (2024).
- 375 22. White, C. R. *et al.* Geographical bias in physiological data limits predictions of global change
376 impacts. *Functional Ecology* **35**, 1572–1578 (2021).
- 377 23. Konno, K. *et al.* Ignoring non-english-language studies may bias ecological meta-analyses. *Ecology*
378 *and Evolution* **10**, 6373–6384 (2020).
- 379 24. Arenas-Castro, H. *et al.* Academic publishing requires linguistically inclusive policies. *Proceedings*
380 *of the Royal Society B* **291**, 20232840 (2024).
- 381 25. Sarabipour, S. *et al.* On the value of preprints: An early career researcher perspective. *PLOS Biology*
382 **17**, e3000151 (2019).
- 383 26. Fox, C. W. & Paine, C. T. Gender differences in peer review outcomes and manuscript impact at six
384 journals of ecology and evolution. *Ecology and Evolution* **9**, 3599–3619 (2019).
- 385 27. Wehner, M. R., Li, Y. & Nead, K. T. Comparison of the proportions of female and male
386 corresponding authors in preprint research repositories before and during the COVID-19 pandemic. *JAMA*
387 *network open* **3**, e2020335–e2020335 (2020).
- 388 28. Mullen, L. Predict gender from names using historical data. R package version 0.6.0. (2021).
- 389 29. Jahn, N. Roadoi: Find free versions of scholarly publications via unpaywall. R package version 0.7.2.
390 <https://github.com/ropensci/roadoi/>, <https://docs.ropensci.org/roadoi/>. (2024).
- 391 30. Roche, D. G., Kruuk, L. E., Lanfear, R. & Binning, S. A. Public data archiving in ecology and
392 evolution: How well are we doing? *PLOS Biology* **13**, e1002295 (2015).
- 393 31. O’Dea, R. E. *et al.* Preferred reporting items for systematic reviews and meta-analyses in ecology and
394 evolutionary biology: A PRISMA extension. *Biological Reviews* **96**, 1695–1722 (2021).
- 395 32. Soeharjono, S. & Roche, D. G. Reported individual costs and benefits of sharing open data among
396 canadian academic faculty in ecology and evolution. *BioScience* **71**, 750–756 (2021).
- 397 33. Roche, D. G. *et al.* Troubleshooting public data archiving: Suggestions to increase participation.
398 *PLoS biology* **12**, e1001779 (2014).
- 399 34. Anderson, K. R. bioRxiv: Trends and analysis of five years of preprints. *Learned Publishing* **33**, 104–
400 109 (2020).

401 35. Avissar-Whiting, M. *et al.* Recommendations for accelerating open preprint peer review to improve
402 the culture of science. *PLOS Biology* **22**, e3002502 (2024).